MATLAB EXPO 2017

Reusing and Prototyping Code to Accelerate Innovation

The Case of Smart Voice Interfaces

Gabriele Bunkheila



What Device Is This?






Innovate

DOA - True: 40° vs. Estimated: 45° ■ Dataset Recorder % Direction to estimate incidentAngle = [40;0]; Play Recording Subfolder H1 Gab BlueCoin Close % Theta increments thetaStep = 45; SpeechContent the birch canoe slid on the steeringThetas = -180:thetaStep:18 SpeakerName steeringAngles = [steeringThetas; frameSize = 512: 41 s = beamformArraysSpecificationsDOA(

Reuse

Prototype







System Prototype Demo


Live voice detection, beamforming and speech recognition



What Are Microphone Arrays?











Why Microphone Arrays?








How Can I...

1. Design and simulate a microphone array system?



2. Validate my voice interface can work in real-life scenarios?


3. Understand what else can help me improve my performance?





How Can I...

1. Design and simulate a microphone array system?





Section Overview

From analysing a microphone topology to simulating a beamforming scenario



How To Get Started?





App-aided exploration of array topologies



Selecting a set of directionally-selective array configurations



Simulating time-domain sound acquisition through a microphone array



Interactive beamforming simulation with voice source



How Can I...

2. Validate my voice interface can work in real-life scenarios?





Constrained Simulations vs. Real Life





Constrained Simulations vs. Real Life





Streaming live multichannel audio in and out of MATLAB



Real-time prototyping with live tuning of beamforming algorithms in MATLAB



Common uses of Digital Audio Workstations (DAW) and audio plugins for sound acquisition and audio enhancement



Generating VST plugins from MATLAB and prototyping array processing algorithms on Digital Audio Workstations



How Can I...

3. Understand what else can help me improve my performance?






Recap Demo

Using prototypes to brainstorm on incremental improvements early on



How To Measure Performance?




Output audio "sounds good"



e slid on the smooth planks" "the birth canal we sl:
in stockings is hard to sell" "a large size in stock:
to the dark blue background" "blue the sheet to the
ll the depth of a well" "it's easy to tell the
hicken leg is a rare dish" "these days a chicken is
served in round bowls" "rice is often served

 "91.5% of spoken sentences correctly converted"





10.wav

1.wav

(i) 2.wav

H1 Gab Headset

287 KB

253 KB

263 KB

245 KB

311 KB

287 KB

253 KB

321 KB

245 KB

311 KB




Getting Started With a Cloud Service for Speech Recognition



Hide Complexity to Accelerate Reuse

```
>> [samples, fs] = audioread('hellomatlabexpo.wav');
>> soundsc(samples, fs)
>> [speechString, confidenceInterval] = speech2text(samples, fs , 'en-US')
speechString =
    'hello Matlab Expo'
confidenceInterval =
   0.9526
```





H1 Gab Headset

253 KB

263 KB

1.wav

(i) 2.wav

321 KB

245 KB

311 KB


311 KB

287 KB



Plugin Hosting

```
>> noiseRemover = loadAudioPlugin('ERA-N.vst')
noiseRemover =
 VST plugin 'ERA-N' 2 in, 2 out
   Processing: 40 %
          Gain: 0 dB
          Tilt: 'NoTilt'
        Bypass: 0
>> noiseRemover.Processing = 60;
>> noiseRemover.Gain = 3;
>> y = process(noiseRemover, x)
```




https://accusonus.com/products/era-n



Testing an external audio plugin within a MATLAB live system model






(i) 2.wav


263 KB

311 KB



Building a Small Speech Dataset Quickly






Sentiment	Filename	SampleRate	NumChannels	NumSamples	DateRecorded
"Neutral"	"Neutral\1.wav"	16000	2	73728	11-Sep-2017 11:59:57
"Neutral"	"Neutral\2.wav"	16000	2	62976	11-Sep-2017 12:00:22
"Neutral"	"Neutral\3.wav"	16000	2	1.1674e+05	11-Sep-2017 12:01:00
"Neutral"	"Neutral\4.wav"	16000	2	1.0701e+05	11-Sep-2017 12:01:22
"Neutral"	"Neutral\5.wav"	16000	2	60416	11-Sep-2017 12:01:41
"Neutral"	"Neutral\6.wav"	16000	2	1.9251e+05	11-Sep-2017 12:02:30
"Neutral"	"Neutral\7.wav"	16000	2	1.3107e+05	11-Sep-2017 12:03:04
"Neutral"	"Neutral\8.wav"	16000	2	64512	11-Sep-2017 12:03:23



Building a Small Speech Dataset Quickly Can you improve speech content labelling?





http://www.cs.cmu.edu/afs/cs.cmu.edu/project/fgdata/OldFiles/Recorder.app/utterances/Type1/harvsents.txt



Building a Small Speech Dataset Quickly

Example: an App with automated content labelling








Testing speech recognition performance of different design variants (including with new enhancements)





(i) 2.wav


263 KB

311 KB



How Can I...

Design and simulate a microphone array system?



2. Validate my voice interface can work in real-life scenarios?

3. Understand what else can help me improve my performance?





System Prototype Demo – Summary and Recap Live voice detection, beamforming and speech recognition



Summary

Innovate

Reuse

Prototype

